Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S130	0	709/230,238.ccls. and smlc and rrlp	US-PGPUB; USPAT	OR	OFF	2005/07/18 09:55
S132	9	S131 not nokia.as.	US-PGPUB; USPAT	OR	OFF	2005/07/18 10:05
S135	2	("6389008" "6311069").pn. and rr$	US-PGPUB; USPAT	OR	OFF	2005/07/18 10:28
S131	12	smlc and rrlp and packet	US-PGPUB; USPAT	OR	OFF	2005/07/19 10:55
S138	1	"6311069".pn. and (serving with mobile with location with center smlc)	US-PGPUB; USPAT	OR	OFF	2005/07/19 11:09
S139	0	"6311069".pn. and (serving with mobile with location with center smlc) with rr	US-PGPUB; USPAT	OR	OFF	2005/07/19 11:10
S141	0	"6311069".pn. and (serving with mobile with location with center smlc) same radio with resource with layer	US-PGPUB; USPAT	OR	OFF	2005/07/19 13:57
S140	0	"6311069".pn. and (serving with mobile with location with center smlc) same rr	US-PGPUB; USPAT	OR	OFF	2005/07/19 13:57
S144	0	"6311069".pn. and location same layer with (network "3") same mobile with station	US-PGPUB; USPAT	OR	OFF	2005/07/19 13:58
S142	0	"6311069".pn. and (serving with mobile with location with center smlc) same layer with (network "3")	US-PGPUB; USPAT	OR	OFF	2005/07/19 13:58
S143	1	"6311069".pn. and location same layer with (network "3")	US-PGPUB; USPAT	OR	OFF	2005/07/19 14:50
S145	0	"6311069".pn. and relay$	US-PGPUB; USPAT	OR	OFF	2005/07/19 14:51
S147	0	"6311069".pn. and (bss bsc) with forward$3 with (msc location with center)	US-PGPUB; USPAT	OR	OFF	2005/07/19 14:52
S148	1	"6311069".pn. and (bss bsc) same forward$3 same (msc location with center)	US-PGPUB; USPAT	OR	OFF	2005/07/19 14:55
S154	0	"6311069".pn. and location with exten$7	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:22
S149	1	"6311069".pn. and (bss bsc) same (forward$3 transmit$) same (msc location with center)	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:22

S13 4	2	(rrc radio with resource with (control$4 management)) same (layer near2 ("3" third network ip packet) "third-layer" "layer-3") and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center)	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:22
S15 5	0	(rrc radio with resource with (control$4 management)) same (layer near2 ("3" third network ip packet) "third-layer" "layer-3") and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and location with exten$	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:23
S15 7	0	(rr radio with resource with (control$4 management)) same (layer near2 ("3" third network ip packet) "third-layer" "layer-3") and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and link with exten$	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:24
S15 6	0	(rrc radio with resource with (control$4 management)) same (layer near2 ("3" third network ip packet) "third-layer" "layer-3") and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and link with exten$	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:24

S15 9	0	(rr radio with resource with (control$4 management)) and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and link$3 with exten$	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:25
S15 8	0	(rr radio with resource with (control$4 management)) and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and link with exten$	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:25
S16 2	0	(rr$7 radio with resource) and (smlc serving with mobile with locat$3 with center) and (link$3 with exten$ "llc-le")	USPAT	OR	OFF	2005/07/19 15:26
S16 1	0	(rr radio with resource) and (smlc serving with mobile with locat$3 with center) and (link$3 with exten$ "llc-le")	USPAT	OR	OFF	2005/07/19 15:26
S16 0	0	(rr radio with resource) and (smlc serving with mobile with locat$3 with center) and link$3 with exten$	USPAT	OR	OFF	2005/07/19 15:26
S16 5	142	logical with link with (exten$5 option$3)	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:43
S16 3	1	(rr$7 radio with resource) and (smlc serving with mobile with locat$3 with center) and (link$3 with exten$ "llc-le")	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:43
S16 7	5	S165 and (RR radio with resource) not nokia.as. and location	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:55
S17 0	4	S165 and (RR radio with resource) not nokia.as. and (smlc serving with msc) and (gsm gprs)	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:56
S16 9	4	S165 and (RR radio with resource) not nokia.as. and (smlc serving with msc)	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:56
S16 8	6	S165 and (RR radio with resource) not nokia.as. and serving with mobile	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:56

S16 6	12	S165 and (RR radio with resource) not nokia.as.	US-PGPUB; USPAT	OR	OFF	2005/07/19 15:59
S17 1	1	"6791963".pn. and (exten$ number) with region with header	US-PGPUB; USPAT	OR	OFF	2005/07/19 16:00
S1	139	(umts or utran) with mobile with locati$	US-PGPUB; USPAT	OR	ON	2005/07/19 16:11
S17 6	0	rrlp not nokia.as. and extension and (MAC "layer-2" layer with ("2" link) rlc llc)	USPAT	OR	ON	2005/07/19 16:16
S17 5	0	rrlp not nokia.as. and extension same (MAC "layer-2" layer with ("2" link) rlc llc)	USPAT	OR	ON	2005/07/19 16:16
S17 7	0	rrlp not nokia.as. and extension and packet	USPAT	OR	ON	2005/07/19 16:17
S17 9	0	rrlp not nokia.as. and extension and serving with gprs	USPAT	OR	ON	2005/07/19 16:42
S17 8	0	rrlp not nokia.as. and extension and sgsn	USPAT	OR	ON	2005/07/19 16:42
S17 4	2	rrlp not nokia.as. and extension	USPAT	OR	ON	2005/07/19 16:42
S18 1	3	rrlp not nokia.as. and packet and extension and (serving with gprs sgsn)	US-PGPUB; USPAT	OR	ON	2005/07/19 16:43
S18 0	0	rrlp not nokia.as. and packet and extension and (serving with gprs sgsn)	USPAT	OR	ON	2005/07/19 16:43
S18 2	0	"6791963".pn. and (exten$ number) with region with header and extension with region and relay$	US-PGPUB; USPAT	OR	OFF	2005/07/19 16:44
S17 2	1	"6791963".pn. and (exten$ number) with region with header and extension with region	US-PGPUB; USPAT	OR	OFF	2005/07/19 16:44
S18 3	1	"llc-le"	US-PGPUB; USPAT	OR	OFF	2005/07/19 16:45
S18 4	1	rrlp with (forward$3 transmit$4 relay$3) same (core with network layer with (two "2") sgsn ggsn) not nokia.as.	US-PGPUB; USPAT	OR	ON	2005/07/19 17:00
S17 3	7	rrlp not nokia.as.	USPAT	OR	ON	2005/07/19 17:00
S18 7	0	S185 and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and packet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:01

| S18 6 | 3 | S185 and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 17:01 |
| S18 5 | 24 | rrlp not nokia.as. | US-PGPUB; USPAT | OR | ON | 2005/07/19 17:01 |